

# TR60

TRACKED CONVEYOR



STRONG **HERITAGE**, STRONG **FUTURE**





# TR60 TRACKED CONVEYOR

## DIMENSIONS

Transport	Length	11.99 M (39'-4")
	Width	2.23 M (7'-4")
	Height	2.81 M (9'-2")
Working @24°	Length (Overall)	17.73 M (58'-2")
	Width	4.28 M (17'-0")
	Height (Top of Drum)	8.44 M (27'-8")
Total Weight (STD) (kg)		8,000
Maximum Tonnage		400-500 TPH (DEPENDENT ON MATERIAL AND BULK DENSITY)
Maximum Feed Size		150 MM (DEPENDENT ON MATERIAL AND BULK DENSITY)



## FEEDBOOT

Standard Capacity	2.26 M³ (2.96 YD³)
Feed In Width	2.09 M (6'-10")
Extended Capacity	N/A
Extended Feed In Width	N/A
Minimum Feed In Height	1.92 M (6'-3")
Extended Minimum Feed In Height	N/A



## CONVEYORS

Width	900 MM (36")
Belt Centres	15.24 M (50')
Belt Type (Plain/Chevron)	PLAIN (CHEVRON OPTIONS)
Belt Spec	EP 300 3PLY
Drive Drum Diameter	344 MM (14")
Tail Drum Diameter	275 MM (11")
Max Belt Speed of Conveyor	3 M/SEC
Motor Size & type	OMV 500
Operating Angle	10-24°
Variable Speed (Y/N)	YES



Discharge Height @ 10°	4.43 M (14'-6")
Stockpile Capacity @ 10° & 37° Angle of Repose / 120° Radial angle	1115 M³ (1458 YD³)
Discharge Height @ 12°	5.03 M (16'-6")
Stockpile Capacity @ 12° & 37° Angle of Repose / 120° Radial angle	1465 M³ (1917 YD³)
Discharge Height @ 14°	5.35 M (18'-6")
Stockpile Capacity @ 14° & 37° Angle of Repose / 120° Radial angle	1675 M³ (2190 YD³)
Discharge Height @ 16°	6.22 M (20'-4")
Stockpile Capacity @ 16° & 37° Angle of Repose / 120° Radial angle	2325 M³ (3042 YD³)
Discharge Height @ 18°	6.8 M (22'-4")
Stockpile Capacity @ 18° & 37° Angle of Repose / 120° Radial angle	2929 M³ (3700 YD³)
Discharge Height @ 20°	7.38 M (24'-3")
Stockpile Capacity @ 20° & 37° Angle of Repose / 120° Radial angle	3390 M³ (4435 YD³)
Discharge Height @ 22°	7.95 M (26'-1")
Stockpile Capacity @ 20° & 37° Angle of Repose / 120° Radial angle	4000 M³ (5233 YD³)
Discharge Height @ 24°	8.44 M (27'-8")
Stockpile Capacity @ 20° & 37° Angle of Repose / 120° Radial angle	4574 M³ (5982 YD³)

# TR60 TRACKED CONVEYOR

## POWER UNIT & HYDRAULICS

<b>T3 Engine</b>	
Engine Type and Power Rating	CAT 2.2 37KW
RPM	2800 RPM MAX
Crankshaft Pump	33cc+8cc
PTO Pump	N/A
Fuel Consumption - Average Daily Running	Not available (dependant on application)

<b>T4F Engine</b>	
Engine Type and Power Rating	CAT 1.7 TIER 4 STAGE V - 37KW
RPM	2800 RPM MAX
Crankshaft Pump	33cc+8cc
PTO Pump	N/A
Fuel Consumption - Average Daily Running	Not available (dependant on application)

<b>Stage V Engine</b>	
Engine Type and Power Rating	CAT 1.7 TIER 4 STAGE V - 37KW
RPM	2800 RPM MAX
Crankshaft Pump	33cc+8cc
PTO Pump	N/A
Fuel Consumption - Average Daily Running	Not available (dependant on application)

<b>Tank Capacities</b>	
Diesel Tank Capacity	190 LT (50 US GALLON)
Hydraulic Tank Capacity	190 LT (50 US GALLON)



## TRACKS

Shoe Width (mm)	400
Sprocket Centre (mm)	1790
Speed (KM/H) (Single Speed)	2.8




## OPTIONS

Dual Power (Electric/Hydraulic/Diesel/Hydraulic)	Fully auto radial (to include cordless remote)
Heavy Duty 4 Ply Belt	Fully auto machine - raise lower conveyor, track, radial and start stop belts
Chevron Belt C15	
Chevron Belt C25	
Under Guarding Cover (up to 8ft )	Twin drive - 2 off OMV 400 motors - needs to have a larger engine
Basket guards	
Anti Roll Back Flaps (3 off)	Dual drive electric/hydraulic setup
	SCS primary scraper


# TR60 TRACKED CONVEYOR

## TRANSPORT

Transport Container




Transport Road




## WORKING

Working



Working 24°





The material in this document is for information only and is subject to change without notice.

Finlay® assumes no liability resulting from errors or omissions in this document, or from the use of the information contained herein.

Due to continual product development we reserve the right to change specifications without notice. Product performance figures given in this brochure are for guidance purposes only, this information does not constitute an expressed or implied warranty or guarantee, but shows test examples. These results will vary depending on application. Photographs are for illustrative purposes only; some or all of the machines in the illustrations may be fitted with optional extras. Please check with your Dealer for details on optional extras.

Published and Printed in 2025